

## HERITAGE CAST ALUMINIUM GUTTER SYSTEM

## HALF ROUND

HALF ROUND SOCKETED SYSTEM  
GUTTERS, UNION CLIPS, STOP-ENDS AND OUTLETS

| Description | Nom. Size | Code |
|-------------|-----------|------|
|-------------|-----------|------|

## GUTTERS - Sundry items will be required

|                                                                                   |       |              |             |
|-----------------------------------------------------------------------------------|-------|--------------|-------------|
|  | 1.83m | 100mm (4")   | HR1/1PPC    |
|                                                                                   |       | 113mm (4.5") | HR2/16PPC   |
|                                                                                   |       | 125mm (5")   | HR3/132PPC  |
|                                                                                   |       | 150mm (6")   | HR6/1830PPC |
|  | 0.61m | 100mm (4")   | HR1/153PPC  |
|                                                                                   |       | 113mm (4.5") | HR2/154PPC  |
|                                                                                   |       | 125mm (5")   | HR3/155PPC  |

## UNION CLIPS

|                                                                                   |              |            |
|-----------------------------------------------------------------------------------|--------------|------------|
|  | 100mm (4")   | HR1/11PPC  |
|                                                                                   | 113mm (4.5") | HR2/26PPC  |
|                                                                                   | 125mm (5")   | HR3/148PPC |
|                                                                                   | 150mm (6")   | HR6/UCPPC  |

## STOP-ENDS

|                                                                                     |                                |              |               |
|-------------------------------------------------------------------------------------|--------------------------------|--------------|---------------|
|    | External Left/Right Hand       | 100mm (4")   | HR1/13PPC     |
|                                                                                     |                                | 113mm (4.5") | HR2/28PPC     |
|                                                                                     |                                | 125mm (5")   | HR3/150PPC    |
|                                                                                     |                                | 150mm (6")   | HR6/SE/EXTPPC |
|   | Internal Left/Right Hand       | 100mm (4")   | HR1/12PPC     |
|                                                                                     |                                | 113mm (4.5") | HR2/27PPC     |
|                                                                                     |                                | 125mm (5")   | HR3/149PPC    |
|                                                                                     |                                | 150mm (6")   | HR6/SE/INTPPC |
|  | Socket with Outlet Pipe 63mm Ø | 100mm (4")   | HR1/9PPC      |
|                                                                                     |                                | 113mm (4.5") | HR2/24PPC     |
|                                                                                     |                                | 125mm (5")   | HR3/144PPC    |
|                                                                                     |                                | 125mm (5")   | HR3/143PPC    |
|  | Spigot with Outlet Pipe 63mm Ø | 100mm (4")   | HR1/10PPC     |
|                                                                                     |                                | 113mm (4.5") | HR2/25PPC     |
|                                                                                     |                                | 125mm (5")   | HR3/147PPC    |
|                                                                                     |                                | 125mm (5")   | HR3/146PPC    |

## RUNNING OUTLETS - with Double Spigot Socket

|                                                                                     |             |              |             |
|-------------------------------------------------------------------------------------|-------------|--------------|-------------|
|  | Pipe 63mm Ø | 100mm (4")   | HR1/8PPC    |
|                                                                                     |             | 113mm (4.5") | HR2/23PPC   |
|                                                                                     |             | 125mm (5")   | HR3/141PPC  |
|                                                                                     |             | 150mm (6")   | HR6/RO25PPC |

Note: Designed to fit Heritage Cast Aluminium Pipe. Add suffix /F to code to fit Flushjoint or Guardian pipes.

## HERITAGE CAST ALUMINIUM GUTTER SYSTEM

## HALF ROUND

HALF ROUND SOCKETED SYSTEM  
OUTLETS, ANGLES AND BRACKETS

| Description | Nom. Size | Code |
|-------------|-----------|------|
|-------------|-----------|------|

## RUNNING OUTLETS - with Double Spigot Socket (continued)

|                                                                                     |              |              |             |
|-------------------------------------------------------------------------------------|--------------|--------------|-------------|
|  | 75mm Ø       | 100mm (4")   | HR1/367PPC  |
|                                                                                     |              | 113mm (4.5") | HR2/3/23PPC |
|                                                                                     |              | 125mm (5")   | HR3/140PPC  |
|                                                                                     |              | 150mm (6")   | HR6/RO30PPC |
|  | 100mm Ø      | 125mm (5")   | HR3/139PPC  |
|                                                                                     |              | 150mm (6")   | HR6/RO40PPC |
|                                                                                     | 75 x 75mm □  | 100mm (4")   | HR1/381PPC  |
|                                                                                     |              | 113mm (4.5") | HR2/382PPC  |
|  | 100 x 75mm □ | 125mm (5")   | HR3/383PPC  |
|                                                                                     |              | 125mm (5")   | HR3/384PPC  |

Note: Designed to fit Heritage Cast Aluminium Pipe. Add suffix /F to code to fit Flushjoint or Guardian pipes.

## 90° ANGLES

|                                                                                      |          |              |              |
|--------------------------------------------------------------------------------------|----------|--------------|--------------|
|   | External | 100mm (4")   | HR1/5PPC     |
|                                                                                      |          | 113mm (4.5") | HR2/20PPC    |
|                                                                                      |          | 125mm (5")   | HR3/136PPC   |
|                                                                                      |          | 150mm (6")   | HR6/90EXTPPC |
|  | Internal | 100mm (4")   | HR1/4PPC     |
|                                                                                      |          | 113mm (4.5") | HR2/19PPC    |
|                                                                                      |          | 125mm (5")   | HR3/135PPC   |
|                                                                                      |          | 150mm (6")   | HR6/90INTPPC |

## 135° ANGLES

|                                                                                       |          |              |            |
|---------------------------------------------------------------------------------------|----------|--------------|------------|
|  | External | 100mm (4")   | HR1/7PPC   |
|                                                                                       |          | 113mm (4.5") | HR2/22PPC  |
|                                                                                       |          | 125mm (5")   | HR3/138PPC |
|                                                                                       |          | 150mm (6")   | HR6/135PPC |
|  | Internal | 100mm (4")   | HR1/6PPC   |
|                                                                                       |          | 113mm (4.5") | HR2/21PPC  |
|                                                                                       |          | 125mm (5")   | HR3/137PPC |
|                                                                                       |          | 150mm (6")   | HR6/136PPC |

## FASCIA BRACKETS -

|                                                                                       |              |            |
|---------------------------------------------------------------------------------------|--------------|------------|
|  | 100mm (4")   | HR1/14PPC  |
|                                                                                       | 113mm (4.5") | HR2/29PPC  |
|                                                                                       | 125mm (5")   | HR3/151PPC |
|                                                                                       | 150mm (6")   | HR6/FBPPC  |

## HERITAGE CAST ALUMINIUM GUTTER SYSTEM

### BEADED HALF ROUND

### BEADED HALF ROUND SOCKETED SYSTEM GUTTERS, STOP-ENDS AND OUTLETS



Description Nom. Size Code

#### GUTTERS - Sundry items will be required

|                                                                                   |       |              |             |
|-----------------------------------------------------------------------------------|-------|--------------|-------------|
|  | 1.83m | 113mm (4.5") | BHR5/300PPC |
|                                                                                   |       | 125mm (5")   | BHR6/325PPC |
| 0.61m                                                                             |       | 113mm (4.5") | BHR5/303PPC |
|                                                                                   |       | 125mm (5")   | BHR6/328PPC |

#### UNION CLIPS

|                                                                                   |              |            |
|-----------------------------------------------------------------------------------|--------------|------------|
|  | 113mm (4.5") | BHR5/UCPPC |
|                                                                                   | 125mm (5")   | BHR6/UCPPC |

#### STOP-ENDS

|                                                                                     |                                                                                                                 |              |                |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|--------------|----------------|
|    | External Left/Right Hand                                                                                        | 113mm (4.5") | BHR5/306PPC    |
|                                                                                     |                                                                                                                 | 125mm (5")   | BHR6/331PPC    |
|    | Internal Left/Right Hand<br><small>Nwm Pipe. Add suffix /F to code to fit Flushjoint or Guardian pipes.</small> | 113mm (4.5") | BHR5/318PPC    |
|                                                                                     |                                                                                                                 | 125mm (5")   | BHR6/149PPC    |
|   | Socket with Outlet Pipe 63mm Ø                                                                                  | 113mm (4.5") | BHR5/RO25SEPPC |
|                                                                                     |                                                                                                                 | 125mm (5")   | BHR6/RO25SEPPC |
|  | 75mm Ø                                                                                                          | 113mm (4.5") | BHR5/RO30SEPPC |
|                                                                                     |                                                                                                                 | 125mm (5")   | BHR6/RO30SEPPC |
|  | 75 x 75mm □                                                                                                     | 113mm (4.5") | BHR5/SO33SEPPC |
|                                                                                     |                                                                                                                 | 125mm (5")   | BHR6/SO33SEPPC |

#### RUNNING OUTLETS - with Single Spigot/Socket

|                                                                                     |             |              |              |
|-------------------------------------------------------------------------------------|-------------|--------------|--------------|
|  | Pipe 63mm Ø | 113mm (4.5") | BHR5/305PPC  |
|                                                                                     |             | 125mm (5")   | BHR6/330PPC  |
|  | 75mm Ø      | 113mm (4.5") | BHR5/308PPC  |
|                                                                                     |             | 125mm (5")   | BHR6/333PPC  |
|  | 75 x 75mm □ | 113mm (4.5") | BHR5/SO33PPC |
|                                                                                     |             | 125mm (5")   | BHR6/SO33PPC |

Note: Designed to fit Heritage Cast Aluminium Pipe. Add suffix /F to code to fit Flushjoint or Guardian pipes.

## HERITAGE CAST ALUMINIUM GUTTER SYSTEM

### BEADED HALF ROUND

### BEADED HALF ROUND SOCKETED SYSTEM OUTLETS, ANGLES AND FASCIA BRACKETS



Description Nom. Size Code

#### RUNNING OUTLETS - with Double Spigot/Socket

|                                                                                     |             |              |              |
|-------------------------------------------------------------------------------------|-------------|--------------|--------------|
|  | 63mm Ø      | 113mm (4.5") | BHR5/304PPC  |
|                                                                                     |             | 125mm (5")   | BHR6/329PPC  |
|  | 75mm Ø      | 113mm (4.5") | BHR5/307PPC  |
|                                                                                     |             | 125mm (5")   | BHR6/332PPC  |
|  | 75 x 75mm □ | 113mm (4.5") | BHR5/384PPC  |
|                                                                                     |             | 125mm (5")   | BHR6/385PPC  |
|                                                                                     |             | 125mm (5")   | BHR6/RO40PPC |

Note: Designed to fit Heritage Cast Aluminium Pipe. Add suffix /F to code to fit Flushjoint or Guardian pipes.

#### 90° ANGLES

|                                                                                     |          |              |             |
|-------------------------------------------------------------------------------------|----------|--------------|-------------|
|  | External | 113mm (4.5") | BHR5/311PPC |
|                                                                                     |          | 125mm (5")   | BHR6/336PPC |
|  | Combined | 113mm (4.5") | BHR5/309PPC |
|                                                                                     |          | 125mm (5")   | BHR6/334PPC |
|  | Internal | 113mm (4.5") | BHR5/310PPC |
|                                                                                     |          | 125mm (5")   | BHR6/335PPC |

#### 135° ANGLES

|                                                                                       |          |              |                |
|---------------------------------------------------------------------------------------|----------|--------------|----------------|
|   | External | 113mm (4.5") | BHR5/EA135PPC  |
|                                                                                       |          | 125mm (5")   | BHR6/EA135PPC  |
|  | Combined | 113mm (4.5") | BHR5/IA135DPPC |
|                                                                                       |          | 125mm (5")   | BHR6/IA135DPPC |
|  | Internal | 113mm (4.5") | BHR5/IA135PPC  |
|                                                                                       |          | 125mm (5")   | BHR6/IA135PPC  |

#### FASCIA BRACKETS

|                                                                                       |              |             |
|---------------------------------------------------------------------------------------|--------------|-------------|
|  | 113mm (4.5") | BHR5/315PPC |
|                                                                                       | 125mm (5")   | BHR6/337PPC |

## HERITAGE CAST ALUMINIUM GUTTER SYSTEM

### BEADED DEEP RUN

BEADED DEEP RUN SOCKETED SYSTEM  
GUTTERS, STOP-ENDS, OUTLETS, ANGLES AND FASCIA BRACKETS



| Description | Nom. Size | Code |
|-------------|-----------|------|
|-------------|-----------|------|

#### GUTTERS - Sundry items will be required

|                                                                                   |       |            |            |
|-----------------------------------------------------------------------------------|-------|------------|------------|
|  | 1.83m | 113 x 75mm | HR4/243PPC |
|                                                                                   | 0.61m | 113 x 75mm | HR4/246PPC |

#### UNION CLIP

|                                                                                   |            |           |
|-----------------------------------------------------------------------------------|------------|-----------|
|  | 113 x 75mm | HR4/UCPPC |
|-----------------------------------------------------------------------------------|------------|-----------|

#### STOP-ENDS

|                                                                                   |                          |            |            |
|-----------------------------------------------------------------------------------|--------------------------|------------|------------|
|  | External Left/Right Hand | 113 x 75mm | HR4/250PPC |
|                                                                                   | Internal Left/Right Hand | 113 x 75mm | HR4/249PPC |

#### RUNNING OUTLETS - with Double Spigot/Socket

|                                                                                   |              |            |            |
|-----------------------------------------------------------------------------------|--------------|------------|------------|
|  | 63mm Ø       | 113 x 75mm | HR4/248PPC |
|                                                                                   | 75mm Ø       | 113 x 75mm | HR4/369PPC |
|                                                                                   | 75 x 75mm □  | 113 x 75mm | HR4/410PPC |
|                                                                                   | 100 x 75mm □ | 113 x 75mm | HR4/411PPC |

Note: Designed to fit Heritage Cast Aluminium Pipe. Add suffix /F to code to fit Flushjoint or Guardian pipes.

#### 90° ANGLES - Combined

|                                                                                     |            |            |
|-------------------------------------------------------------------------------------|------------|------------|
|  | 113 x 75mm | HR4/247PPC |
|-------------------------------------------------------------------------------------|------------|------------|

#### 135° ANGLES - Combined

|                                                                                     |            |            |
|-------------------------------------------------------------------------------------|------------|------------|
|  | 113 x 75mm | HR4/371PPC |
|-------------------------------------------------------------------------------------|------------|------------|

#### FASCIA BRACKETS

|                                                                                     |            |            |
|-------------------------------------------------------------------------------------|------------|------------|
|  | 113 x 75mm | HR4/251PPC |
|-------------------------------------------------------------------------------------|------------|------------|

## HERITAGE CAST ALUMINIUM GUTTER SYSTEM

### VICTORIAN OGEE

VICTORIAN OGEE SOCKETED SYSTEM  
GUTTERS, UNION CLIPS, STOP-ENDS AND OUTLETS



| Description | Nom. Size | Code |
|-------------|-----------|------|
|-------------|-----------|------|

#### GUTTERS - Sundry items will be required

|                                                                                     |       |              |            |
|-------------------------------------------------------------------------------------|-------|--------------|------------|
|  | 1.83m | 100mm (4")   | OG1/31PPC  |
|                                                                                     |       | 113mm (4.5") | OG2/45PPC  |
|                                                                                     |       | 125mm (5")   | OG3/173PPC |
|                                                                                     | 0.61m | 100mm (4")   | OG1/156PPC |
|                                                                                     |       | 113mm (4.5") | OG2/157PPC |
|                                                                                     |       | 125mm (5")   | OG3/176PPC |

#### UNION CLIPS

|                                                                                     |              |            |
|-------------------------------------------------------------------------------------|--------------|------------|
|  | 100mm (4")   | OG1/41PPC  |
|                                                                                     | 113mm (4.5") | OG2/55PPC  |
|                                                                                     | 125mm (5")   | OG3/184PPC |

#### STOP-ENDS

|                                                                                     |                     |              |            |
|-------------------------------------------------------------------------------------|---------------------|--------------|------------|
|  | External Right Hand | 100mm (4")   | OG1/43PPC  |
|                                                                                     |                     | 113mm (4.5") | OG2/57PPC  |
|                                                                                     |                     | 125mm (5")   | OG3/186PPC |
|                                                                                     | Internal Left Hand  | 100mm (4")   | OG1/42PPC  |
|                                                                                     |                     | 113mm (4.5") | OG2/56PPC  |
|                                                                                     |                     | 125mm (5")   | OG3/185PPC |

#### LEFT HAND STOP END OUTLET

|                                                                                       |             |              |              |
|---------------------------------------------------------------------------------------|-------------|--------------|--------------|
|  | Pipe 63mm Ø | 100mm (4")   | OG1/40PPC    |
|                                                                                       |             | 113mm (4.5") | OG2/54PPC    |
|                                                                                       |             | 125mm (5")   | OG3/183PPC   |
|                                                                                       | 75mm Ø      | 125mm (5")   | OG3/3/183PPC |

Note: Designed to fit Heritage Cast Aluminium Pipe. Add suffix /F to code to fit Flushjoint or Guardian pipes.

#### RIGHT HAND STOP END OUTLET

|                                                                                       |             |              |              |
|---------------------------------------------------------------------------------------|-------------|--------------|--------------|
|  | Pipe 63mm Ø | 100mm (4")   | OG1/39PPC    |
|                                                                                       |             | 113mm (4.5") | OG2/53PPC    |
|                                                                                       |             | 125mm (5")   | OG3/182PPC   |
|                                                                                       | 75mm Ø      | 125mm (5")   | OG3/3/182PPC |

Note: Designed to fit Heritage Cast Aluminium Pipe. Add suffix /F to code to fit Flushjoint or Guardian pipes.

## HERITAGE CAST ALUMINIUM GUTTER SYSTEM

## VICTORIAN OGEE


VICTORIAN OGEE SOCKETED SYSTEM  
OUTLETS, ANGLES AND BRACKETS

| Description                                                                                                    | Nom. Size    | Code       |
|----------------------------------------------------------------------------------------------------------------|--------------|------------|
| <b>RUNNING OUTLETS - with Single Spigot/Socket</b>                                                             |              |            |
|                               | 63mm Ø       | 100mm (4") |
|                                                                                                                |              | OG1/38PPC  |
|                                                                                                                | 113mm (4.5") | OG2/52PPC  |
|                               | 75mm Ø       | 100mm (4") |
|                                                                                                                |              | OG1/38PPC  |
|                                                                                                                | 113mm (4.5") | OG2/52PPC  |
|                               | 75 x 75mm □  | 100mm (4") |
|                                                                                                                |              | OG1/38PPC  |
|                                                                                                                | 113mm (4.5") | OG2/52PPC  |
| Note: Designed to fit Heritage Cast Aluminium Pipe. Add suffix /F to code to fit Flushjoint or Guardian pipes. |              |            |
| <b>90° ANGLES</b>                                                                                              |              |            |
|                              | External     | 100mm (4") |
|                                                                                                                |              | OG1/34PPC  |
|                                                                                                                | 113mm (4.5") | OG2/48PPC  |
|                             | Internal     | 100mm (4") |
|                                                                                                                |              | OG1/35PPC  |
|                                                                                                                | 113mm (4.5") | OG2/49PPC  |
|                                                                                                                |              | 125mm (5") |
|                                                                                                                |              | OG3/177PPC |
|                                                                                                                |              | OG3/178PPC |
| <b>135° ANGLES</b>                                                                                             |              |            |
|                             | External     | 100mm (4") |
|                                                                                                                |              | OG1/36PPC  |
|                                                                                                                | 113mm (4.5") | OG2/50PPC  |
|                             | Internal     | 100mm (4") |
|                                                                                                                |              | OG1/37PPC  |
|                                                                                                                | 113mm (4.5") | OG2/51PPC  |
|                                                                                                                |              | 125mm (5") |
|                                                                                                                |              | OG2/51PPC  |
|                                                                                                                |              | OG3/180PPC |
| <b>FASCIA BRACKETS</b>                                                                                         |              |            |
|                             |              | 100mm (4") |
|                                                                                                                |              | OG1/44PPC  |
|                                                                                                                | 113mm (4.5") | OG2/58PPC  |
|                                                                                                                |              | 125mm (5") |
|                                                                                                                |              | OG2/58PPC  |
|                                                                                                                |              | OG3/187PPC |

## HERITAGE CAST ALUMINIUM GUTTER SYSTEM

## MOULDED

MOULDED SPIGOTTED SYSTEM  
GUTTERS, UNION CLIPS, STOP-ENDS AND OUTLETS

| Description                                                                                                    | Nom. Size           | Code                  |
|----------------------------------------------------------------------------------------------------------------|---------------------|-----------------------|
| <b>GUTTERS - Sundry items required</b>                                                                         |                     |                       |
|                             | 1.83m               | 100 x 75mm (4 x 3")   |
|                                                                                                                |                     | MG2/217PPC            |
|                                                                                                                |                     | 125 x 100mm (5 x 4")  |
|                                                                                                                |                     | MG1/196PPC            |
|                                                                                                                |                     | 150 x 100mm (6 x 4")  |
|                                                                                                                |                     | MG3/259PPC            |
|                             | 0.61m               | 100 x 75mm (4 x 3")   |
|                                                                                                                |                     | MG2/220PPC            |
|                                                                                                                |                     | 125 x 100mm (5 x 4")  |
|                                                                                                                |                     | MG1/199PPC            |
| *MG3 gutter has the socket on the opposite end                                                                 |                     |                       |
|                                                                                                                |                     |                       |
| <b>UNION CLIPS</b>                                                                                             |                     |                       |
|                            |                     | 100 x 75mm (4 x 3")   |
|                                                                                                                |                     | MG2/231PPC            |
|                                                                                                                |                     | 125 x 100mm (5 x 4")  |
|                                                                                                                |                     | MG1/213PPC            |
|                                                                                                                |                     | 150 x 100mm (6 x 4")  |
|                                                                                                                |                     | MG3/269PPC            |
| <b>STOP-ENDS</b>                                                                                               |                     |                       |
|                           | External Left Hand  | 100 x 75mm (4 x 3")   |
|                                                                                                                |                     | MG2/233PPC            |
|                           | External Right Hand | 125 X 100mm (5 x 4")  |
|                                                                                                                |                     | MG1/215PPC            |
|                                                                                                                | Internal Left Hand  | 150 x 100mm (6 x 4")  |
|                                                                                                                |                     | MG3/271PPC            |
|                                                                                                                | Internal Right Hand | 150 x 100mm (6 x 4")  |
|                                                                                                                |                     | MG3/270PPC            |
|                                                                                                                |                     | 100 x 75mm (4 x 3")   |
|                                                                                                                |                     | MG2/232PPC            |
|                                                                                                                |                     | 125 X 100mm (5 x 4")  |
|                                                                                                                |                     | MG1/214PPC            |
| <b>RUNNING OUTLETS - with Single Spigot/Socket</b>                                                             |                     |                       |
|                            | 63mm Ø              | 100 x 75mm (4 x 3")   |
|                                                                                                                |                     | MG2/225PPC            |
|                                                                                                                |                     | 125 x 100mm (5 x 4")  |
|                                                                                                                |                     | MG1/205PPC            |
|                                                                                                                |                     | 150 x 100mm (6 x 4")* |
|                                                                                                                |                     | MG3/267PPC            |
|                           | 75mm Ø              | 100 x 75mm (4 x 3")   |
|                                                                                                                |                     | MG2/370PPC            |
|                                                                                                                |                     | 125 x 100mm (5 x 4")  |
|                                                                                                                |                     | MG1/204PPC            |
|                                                                                                                |                     | 150 x 100mm (6 x 4")* |
|                                                                                                                |                     | MG3/266PPC            |
|                           | 100mm Ø             | 125 x 100mm (5 x 4")  |
|                                                                                                                |                     | MG1/253PPC            |
|                                                                                                                |                     | 150 x 100mm (6 x 4")* |
|                                                                                                                |                     | MG3/265PPC            |
|                                                                                                                |                     | 100 x 75mm (4 x 3")   |
|                                                                                                                |                     | MG2/356PPC            |
|                           | 75 x 75mm □         | 125 x 100mm (5 x 4")  |
|                                                                                                                |                     | MG1/358PPC            |
|                                                                                                                |                     | 150 x 100mm (6 x 4")* |
|                                                                                                                |                     | MG3/361PPC            |
|                                                                                                                |                     | 100 x 75mm (4 x 3")   |
|                                                                                                                |                     | MG2/357PPC            |
|                           | 100 x 75mm □        | 125 x 100mm (5 x 4")  |
|                                                                                                                |                     | MG1/359PPC            |
|                                                                                                                |                     | 150 x 100mm (6 x 4")* |
|                                                                                                                |                     | MG3/362PPC            |
|                                                                                                                |                     | 100 x 100mm □         |
|                                                                                                                |                     | 125 x 100mm (5 x 4")  |
|                                                                                                                |                     | MG1/360PPC            |
|                                                                                                                |                     | 150 x 100mm (6 x 4")* |
|                                                                                                                |                     | MG3/363PPC            |
| Note: Designed to fit Heritage Cast Aluminium Pipe. Add suffix /F to code to fit Flushjoint or Guardian pipes. |                     |                       |

## HERITAGE CAST ALUMINIUM GUTTER SYSTEM

### MOULDED

### MOULDED SPIGOTTED SYSTEM ANGLES AND BRACKETS



Description                      Nom. Size                      Code

#### 90° ANGLES

|                                                                                   |          |                      |            |
|-----------------------------------------------------------------------------------|----------|----------------------|------------|
|  | External | 100 x 75mm (4 x 3")  | MG2/221PPC |
|                                                                                   |          | 125 x 100mm (5 x 4") | MG1/200PPC |
|                                                                                   |          | 150 x 100mm (6 x 4") | MG3/263PPC |
|  | Internal | 100 x 75mm (4 x 3")  | MG2/222PPC |
|                                                                                   |          | 125 x 100mm (5 x 4") | MG1/201PPC |
|                                                                                   |          | 150 x 100mm (6 x 4") | MG3/264PPC |

#### 135° ANGLES

|                                                                                   |          |                      |            |
|-----------------------------------------------------------------------------------|----------|----------------------|------------|
|  | External | 100 x 75mm (4 x 3")  | MG2/223PPC |
|                                                                                   |          | 125 x 100mm (5 x 4") | MG1/202PPC |
|                                                                                   |          | 150 x 100mm (6 x 4") | MG3/272PPC |
|  | Internal | 100 x 75mm (4 x 3")  | MG2/224PPC |
|                                                                                   |          | 125 x 100mm (5 x 4") | MG1/203PPC |
|                                                                                   |          | 150 x 100mm (6 x 4") | MG3/273PPC |

#### 145° ANGLES

|                                                                                     |          |                      |            |
|-------------------------------------------------------------------------------------|----------|----------------------|------------|
|  | External | 125 x 100mm (5 x 4") | MG1/329PPC |
|                                                                                     |          | 150 x 100mm (6 x 4") | MG3/333PPC |
|  | Internal | 125 x 100mm (5 x 4") | MG1/330PPC |
|                                                                                     |          | 150 x 100mm (6 x 4") | MG3/334PPC |

#### 150° ANGLES

|                                                                                     |          |                      |            |
|-------------------------------------------------------------------------------------|----------|----------------------|------------|
|  | External | 125 x 100mm (5 x 4") | MG1/331PPC |
|                                                                                     |          | 150 x 100mm (6 x 4") | MG3/335PPC |
|  | Internal | 125 x 100mm (5 x 4") | MG1/332PPC |
|                                                                                     |          | 150 x 100mm (6 x 4") | MG3/336PPC |